

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB 05 1992
 Returned to applicant for correction FEB 14 1992
 Corrected application filed FEB 24 1992
 Map filed FEB 24 1992

The applicant Richard Gavern

817 Crestmoore Street

Street and No. or P.O. Box No.

Venice

City or Town

California 90291

State and Zip Code No.

, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is an underground source
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.1 CFS second-feet
(One second-foot equals 448.83 gals. per min.)

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for quasi-municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated N/A

(b) Stockwater, state number and kinds of animals to be watered N/A

(c) Other use (describe fully under No. 12. "Remarks") see item no. 12

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 24, T22S, R61E,
Describe as being within a 40-acre subdivision of public
MDB&M or at a point from which the Center quarter (C $\frac{1}{4}$) corner of said Section 24,
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
T22S, R61E, MDB&M, bears South 53°24'55" East a distance of 780.00 feet.

6. Place of use Northwest quarter (NW $\frac{1}{4}$) of the Southeast quarter (SE $\frac{1}{4}$) of the Southeast
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
quarter (SE $\frac{1}{4}$) of the Northwest quarter (NW $\frac{1}{4}$) of Section 24, T22S, R61E, MDB&M, Clark
County, Nevada.

7. Use will begin about January 1st and end about December 31st of each year.
Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill 8" steel cased well, install 5hp submersible
State manner in which water is to be diverted, i.e. diversion structure, ditches and
pump, storage tank, pressure
tank, booster pump, meter, piping, wiring and appurtenances.
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$22,000.00

10. Estimated time required to construct works one year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use three years.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Well to service four houses.

By s/Robert Fulstone Agent
Fulstone Enterprises, Inc.
940 S. Martin L. King Blvd.
Las Vegas, NV 89106

Compared bc/bc ap/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed 0.1 cubic feet per second, but not to exceed 1.46

million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before December 21, 1994

Proof of completion of work shall be filed before January 21, 1995

Application of water to beneficial use shall be filed on or before December 21, 1997

Proof of the application of water to beneficial use shall be filed on or before January 21, 1998

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.

State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 21st day of December

A.D. 1992

CANCELLED MAR 15 1995 BECAUSE OF FAILURE

APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

R. Michael Turnipseed, P.E. STATE ENGINEER